




GOLDLINE™ METRIC 16mm, 20mm, 25mm and 32mm


3.1

Medium/High Density Polyethylene - PE80 / PE100 Pipe. Metric size on the OUTSIDE DIAMETER in the classes and coil sizes indicated below. (sized to AS/NZS 4130)

16mm	PRODUCT CODE	LENGTH	PN	DESCRIPTION				3.1.1
					Nominal pack size	Wt kg		
	GAM12016300	300	6	GOLDLINE METRIC; PN6.3 16mmOD x 300M 0.77m Dia x 0.25m W		22.6kg		
	GAM12016300	300	8	GOLDLINE METRIC; PN8 16mmOD x 300M 0.77m Dia x 0.25m W		22.6kg		
	GAM12016300	300	10	GOLDLINE METRIC; PN10 16mmOD x 300M 0.77m Dia x 0.25m W		22.6kg		
	GAM12016050	50	12.5	GOLDLINE METRIC; PN12.5 16mmOD x 50M 0.55m Dia x 0.115m W		3.8kg		
	GAM12016300	300	12.5	GOLDLINE METRIC; PN12.5 16mmOD x 300M 0.77m Dia x 0.25m W		22.6kg		
	GAM16016300	300	16	GOLDLINE METRIC; PN16 16mmOD x 300M 0.77m Dia x 0.25m W		22.6kg		

20mm	PRODUCT CODE	LENGTH	PN	DESCRIPTION				3.1.2
					Nominal pack size	Wt kg		
	GAM12020300	300	6	GOLDLINE METRIC; PN6.3 20mmOD x 300M 1m Dia x 0.25m W		28.9kg		
	GAM12020300	300	8	GOLDLINE METRIC; PN8 20mmOD x 300M 1m Dia x 0.25m W		28.9kg		
	GAM12020300	300	10	GOLDLINE METRIC; PN10 20mmOD x 300M 1m Dia x 0.25m W		28.9kg		
	GAM12020050	50	12.5	GOLDLINE METRIC; PN12.5 20mmOD x 50M 0.7m Dia x 0.115m W		4.9kg		
	GAM12020300	300	12.5	GOLDLINE METRIC; PN12.5 20mmOD x 300M 1m Dia x 0.25m W		28.9kg		
	GAM16020300	300	16	GOLDLINE METRIC; PN16 20mmOD x 300M 1m Dia x 0.25m W		33.3kg		

25mm	PRODUCT CODE	LENGTH	PN	DESCRIPTION				3.1.3
					Nominal pack size	Wt kg		
	GAM10025200	200	6.3	GOLDLINE METRIC; PN6.3 25mmOD x 200M 1m Dia x 0.25m W		24.5kg		
	GAM10025200	200	8	GOLDLINE METRIC; PN8 25mmOD x 200M 1m Dia x 0.25m W		24.5kg		
	GAM10025200	200	10	GOLDLINE METRIC; PN10 25mmOD x 200M 1m Dia x 0.25m W		24.5kg		
	GAM12025025	25	12.5	GOLDLINE METRIC; PN12.5 25mmOD x 25M 0.7m Dia x 0.115m W		3.6kg		
	GAM12025050	50	12.5	GOLDLINE METRIC; PN12.5 25mmOD x 50M 0.75m Dia x 0.165m W		7.1kg		
	GAM12025200	200	12.5	GOLDLINE METRIC; PN12.5 25mmOD x 200M 1m Dia x 0.25m W		28.3kg		
	GAM16025200	200	16	GOLDLINE METRIC; PN16 25mmOD x 200M 1m Dia x 0.25m W		33.8kg		

32mm	PRODUCT CODE	LENGTH	PN	DESCRIPTION				3.1.4
					Nominal pack size	Wt kg		
	GAM08032200	200	6.3	GOLDLINE METRIC; PN6.3 32mmOD x 200M 1.3m Dia x 0.25m W		31.8kg		
	GAM08032200	200	8	GOLDLINE METRIC; PN8 32mmOD x 200M 1.3m Dia x 0.25m W		31.8kg		
	GAM10032200	200	10	GOLDLINE METRIC; PN10 32mmOD x 200M 1.3m Dia x 0.25m W		36.9kg		
	GAM12032050	50	12.5	GOLDLINE METRIC; PN12.5 32mmOD x 50M 1m Dia x 0.165m W		11.5kg		
	GAM12032200	200	12.5	GOLDLINE METRIC; PN12.5 32mmOD x 200M 1.3m Dia x 0.25m W		45.9kg		
	GAM16032200	200	16	GOLDLINE METRIC; PN16 32mmOD x 200M 1.3m Dia x 0.25m W		53.8kg		

NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required

LIFE TIME WARRANTY
DM Plastics & Steel warrants that at the time of dispatch of the goods, they conformed to the stringent DM Plastics & Steel Quality Control Specification. Pipes are batch Natta Tested to comply. Products should be installed in a 'workman-like' manner using 'best practices'. Contact our staff for helpful best practice hints.




DM Plastics & Steel Pty Ltd ABN: 95 572 173 975
Ph 08 8349 7654 **Fax 08 8349 5431**
 www.dmplastics.com.au **Email sales@dmplastics.com.au**




The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

GOLDLINE™ METRIC 40mm, 50mm and 63mm 3.1

Medium/High Density Polyethylene - PE80 / PE100 Pipe. Metric size on the OUTSIDE DIAMETER in the classes and coil sizes indicated below. (sized to AS/NZS 4130)

40mm	PRODUCT CODE	LENGTH	PN	DESCRIPTION	Wt kg				3.1.5
	Nominal pack size								
	GAM08040150	150	6.3	GOLDLINE METRIC; PN6.3 40mmOD x 150M 1.5m Dia x 0.25m W	35.1kg				
	GAM08040150	150	8	GOLDLINE METRIC; PN8 40mmOD x 150M 1.5m Dia x 0.25m W	35.1kg				
	GAM10040150	150	10	GOLDLINE METRIC; PN10 40mmOD x 150M 1.5m Dia x 0.25m W	43.8kg				
	GAM12040050	50	12.5	GOLDLINE METRIC; PN12.5 40mmOD x 50M 1.35m Dia x 0.165m W	17.7kg				
	GAM12040100	100	12.5	GOLDLINE METRIC; PN12.5 40mmOD x 100M 1.4m Dia x 0.25m W	35.4kg				
	GAM12040150	150	12.5	GOLDLINE METRIC; PN12.5 40mmOD x 150M 1.5m Dia x 0.25m W	53.1kg				
	GAM12040200	200	12.5	GOLDLINE METRIC; PN12.5 40mmOD x 200M 1.6m Dia x 0.33m W	70.7kg				
	GAM12040300	300	12.5	GOLDLINE METRIC; PN12.5 40mmOD x 300M 1.75m Dia x 0.33m W	106.1kg				

50mm	PRODUCT CODE	LENGTH	PN	DESCRIPTION	Wt kg				3.1.6
	Nominal pack size								
	GAM08050150	150	6.3	GOLDLINE METRIC; PN6.3 50mmOD x 150M 1.9m Dia x 0.25m W	55.5kg				
	GAM08050150	150	8	GOLDLINE METRIC; PN8 50mmOD x 150M 1.9m Dia x 0.25m W	55.5kg				
	GAM10050150	150	10	GOLDLINE METRIC; PN10 50mmOD x 150M 1.9m Dia x 0.25m W	67.5kg				
	GAM12050050	50	12.5	GOLDLINE METRIC; PN12.5 50mmOD x 50M 1.5m Dia x 0.25m W	27.3kg				
	GAM12050100	100	12.5	GOLDLINE METRIC; PN12.5 50mmOD x 100M 1.7m Dia x 0.25m W	54.6kg				
	GAM12050150	150	12.5	GOLDLINE METRIC; PN12.5 50mmOD x 150M 1.9m Dia x 0.25m W	81.9kg				
	GAM16050150	150	16	GOLDLINE METRIC; PN16 50mmOD x 150M 1.9m Dia x 0.25m W	99.5kg				

63mm	PRODUCT CODE	LENGTH	PN	DESCRIPTION	Wt kg				3.1.7
	Nominal pack size								
	GAM06063100	100	6.3	GOLDLINE METRIC; PN6.3 63mmOD x 100M 2.35m Dia x 0.25m W	47.2kg				
	GAM06063200	200	6.3	GOLDLINE METRIC; PN6.3 63mmOD x 200M 2.35m Dia x 0.33m W	94.3kg				
	GAM08063100	100	8	GOLDLINE METRIC; PN8 63mmOD x 100M 2.35m Dia x 0.25m W	57.4kg				
	GAM08063200	200	8	GOLDLINE METRIC; PN8 63mmOD x 200M 2.35m Dia x 0.33m W	114.8kg				
	GAM10063100	100	10	GOLDLINE METRIC; PN10 63mmOD x 100M 2.1m Dia x 0.25m W	71.7kg				
	GAM10063200	200	10	GOLDLINE METRIC; PN10 63mmOD x 200M 2.35m Dia x 0.33m W	143.3kg				
	GAM12063100	100	12.5	GOLDLINE METRIC; PN12.5 63mmOD x 100M 2.1m Dia x 0.25m W	87kg				
	GAM12063200	200	12.5	GOLDLINE METRIC; PN12.5 63mmOD x 200M 2.35m Dia x 0.33m W	174kg				
	GAM16063100	100	16	GOLDLINE METRIC; PN16 63mmOD x 100M 2.1m Dia x 0.25m W	104.9kg				
	GAM16063200	200	16	GOLDLINE METRIC; PN16 63mmOD x 200M 2.35m Dia x 0.33m W	209.8kg				

NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required

LIFE TIME WARRANTY
DM Plastics & Steel warrants that at the time of dispatch of the goods, they conformed to the stringent DM Plastics & Steel Quality Control Specification. Pipes are batch NATA Tested to comply. Products should be installed in a 'workman-like' manner using 'best practice'. Contact our staff for helpful best practice hints.




DM Plastics & Steel Pty Ltd ABN: 95 572 173 975
Ph 08 8349 7654 Fax 08 8349 5431
 www.dmplastics.com.au Email sales@dmplastics.com.au





The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

GOLDLINE™ METRIC - 110mm, 125mm, 140mm & Bore Pipe 3.1

Medium/High Density Polyethylene - PE80 / PE100 Pipe. Metric size on the OUTSIDE DIAMETER in the classes and coil sizes indicated below. (sized to AS/NZS 4130)

110mm	PRODUCT CODE	LENGTH	PN	DESCRIPTION				3.1.10
	Nominal pack size				Wt. kg			
	GAM06110100	100	6.3	GOLDLINE METRIC; PN6.3 110mmOD x 100M 3m Dia x 0.44m W				
	GAM08110100	100	8	GOLDLINE METRIC; PN8 110mmOD x 100M 3m Dia x 0.44m W				
	GAM10110100	100	10	GOLDLINE METRIC; PN10 110mmOD x 100M 3m Dia x 0.44m W				
	GAM12110100	100	12.5	GOLDLINE METRIC; PN12.5 110mmOD x 100M 3m Dia x 0.44m W				

125mm	PRODUCT CODE	LENGTH	PN	DESCRIPTION				3.1.11
	Nominal pack size				Wt. kg			
	GAM06125100	100	6.3	GOLDLINE METRIC; PN6.3 125mmOD x 100M 3.35m Dia x 0.5m W				
	GAM08125100	100	8	GOLDLINE METRIC; PN8 125mmOD x 100M 3.35m Dia x 0.5m W				
	GAM10125100	100	10	GOLDLINE METRIC; PN10 125mmOD x 100M 3.35m Dia x 0.5m W				
	GAM12125100	100	12.5	GOLDLINE METRIC; PN12.5 125mmOD x 100M 3.35m Dia x 0.5m W				

140mm	PRODUCT CODE	LENGTH	PN	DESCRIPTION				3.1.12
	Nominal pack size				Wt. kg			
	GAM06140100	100	6.3	GOLDLINE METRIC; PN6.3 140mmOD x 100M 3.4m Dia x 0.5m W				
	GAM08140100	100	8	GOLDLINE METRIC; PN8 140mmOD x 100M 3.4m Dia x 0.5m W				
	GAM10140100	100	10	GOLDLINE METRIC; PN10 140mmOD x 100M 3.4m Dia x 0.5m W				
	GAM12140100	100	12.5	GOLDLINE METRIC; PN12 140mmOD x 1100M 3.4m Dia x 0.5m W				

NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required

GOLDLINE™ METRIC BORE-PIPE 3.1.20



BORE PIPE - Straight pipe can be extruded then coiled for transport. This will substantially straighten when uncoiled and placed in the sun prior to insertion down a bore.

Available in any size, class and length currently available in standard coils. Contact our sales department and discuss your requirements.

LIFE TIME WARRANTY
DM Plastics & Steel warrants that at the time of dispatch of the goods, they conformed to the stringent DM Plastics & Steel Quality Control Specification. Pipes are batch NATA Tested to comply. Products should be installed in a 'workman-like' manner using 'best practice'. Contact our staff for helpful best practice hints.



DM Plastics & Steel Pty Ltd ABN: 95 572 173 975
Ph 08 8349 7654 Fax 08 8349 5431
Web www.dmplastics.com.au Email sales@dmplastics.com.au




The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal

GOLDLINE™ METRIC - 75mm and 90mm 3.1

Medium/High Density Polyethylene - PE80 / PE100 Pipe. Metric size on the OUTSIDE DIAMETER in the classes and coil sizes indicated below. (sized to AS/NZS 4130)

75mm	PRODUCT CODE	LENGTH	PN	Nominal pack size						3.1.8
					Wt. kg					
	GAM06075100	100	6.3	GOLDLINE METRIC; PN6.3 75mmOD x 100M 2.65m Dia x 0.44m W		82.2kg				
	GAM06075200	200	6.3	GOLDLINE METRIC; PN6.3 75mmOD x 200M 2.65m Dia x 0.59m W		164.4kg				
	GAM06075970	970	6.3	GOLDLINE METRIC; PN6.3 75mmOD x 970M 3.4m Dia x 0.78m W		797kg				
	GAM08075100	100	8	GOLDLINE METRIC; PN8 75mmOD x 100M 2.65m Dia x 0.44m W		82.2kg				
	GAM08075200	200	8	GOLDLINE METRIC; PN8 75mmOD x 200M 2.65m Dia x 0.59m W		164.4kg				
	GAM10075100	100	10	GOLDLINE METRIC; PN10 75mmOD x 100M 2.65m Dia x 0.44m W		101.1kg				
	GAM10075200	200	10	GOLDLINE METRIC; PN10 75mmOD x 200M 2.65m Dia x 0.59m W		202.2kg				
	GAM12075100	100	12.5	GOLDLINE METRIC; PN12.5 75mmOD x 100M 2.65m Dia x 0.44m W		121.4kg				
	GAM12075200	200	12.5	GOLDLINE METRIC; PN12.5 75mmOD x 200M 2.65m Dia x 0.59m W		242.7kg				
	GAM16075100	100	16	GOLDLINE METRIC; PN16 75mmOD x 100M 2.65m Dia x 0.44m W		146.5kg				
	GAM16075200	200	16	GOLDLINE METRIC; PN16 75mmOD x 200M 2.65m Dia x 0.59m W		292.9kg				

90mm	PRODUCT CODE	LENGTH	PN	DESCRIPTION						3.1.9
					Wt. kg					
	GAM06090100	100	6.3	GOLDLINE METRIC; PN6 90mmOD x 100M 2.65m Dia x 0.44m W		117.9kg				
	GAM06090200	200	6.3	GOLDLINE METRIC; PN6 90mmOD x 200M		235.8kg				
	GAM08090100	100	8	GOLDLINE METRIC; PN8 90mmOD x 100M 2.65m Dia x 0.44m W		145.4kg				
	GAM08090200	200	8	GOLDLINE METRIC; PN8 90mmOD x 200M		290.8kg				
	GAM10090100	100	10	GOLDLINE METRIC; PN10 90mmOD x 100M 2.65m Dia x 0.44m W		145.4kg				
	GAM10090200	200	10	GOLDLINE METRIC; PN10 90mmOD x 200M 2.65m Dia x 0.59m W		290.8kg				
	GAM12090100	100	12.5	GOLDLINE METRIC; PN12.5 90mmOD x 100M 2.65m Dia x 0.33m W		174.4kg				
	GAM12090200	200	12.5	GOLDLINE METRIC; PN12.5 90mmOD x 200M 2.65m Dia x 0.59m W		348.7kg				
	GAM16090100	100	16	GOLDLINE METRIC; PN16 90mmOD x 100M 2.65m Dia x 0.44m W		212.3kg				
	GAM16090200	200	16	GOLDLINE METRIC; PN16 90mmOD x 200M 2.65m Dia x 0.59m W		424.6kg				

NS indicates "nominal stock" - may not be in stock, minimum order quantity may be required

LIFE TIME WARRANTY
DM Plastics & Steel warrants that at the time of dispatch of the goods, they conformed to the stringent DM Plastics & Steel Quality Control Specification. Pipes are batch Natta Tested to comply. Products should be installed in a 'workman-like' manner using 'best practice'. Contact our staff for helpful best practice hints.



DM Plastics & Steel Pty Ltd ABN: 95 572 173 975
Ph 08 8349 7654 Fax 08 8349 5431
 www.dmplastics.com.au Email sales@dmplastics.com.au



The suitability for use should be determined by Users according to their individual circumstances. All dimensions and weights provided are nominal